Hilco Industrial, LLC

HILCAST WEBCAST AUCTIONS | BidSpotter.com

WEBCAST/ONSITE AUCTION

Due to complete plant closure, former assets of

PORTOLA

Sale is being held in conjunction with

Maynards
AUCTIONEERS • LIQUIDATORS • APPRAISERS
Ph 248-569-9781 • Fx 248-569-9793
www.maynards.com

CRG
Capital Recovery Group, LLC
www.crgauction.com

Hilco Industrial, LLC
Auctioneers • Liquidators • Appraisers
Ph 877-37-HILCO (44526) • Fx 248-254-9995
www.hilcoind.com

HILCO INDUSTRIAL, LLC WEBCAST/ONSITE AUCTION

Bid Live Online at

HILCAST WEBCAST AUCTIONS or BidSpotter.com

www.hilcoind.com www.bidspotter.com

Due to complete plant closure, former assets of

PORTOLA

AUCTION DATE

THURSDAY, OCTOBER 18TH
BEGINNING AT 10AM LOCAL TIME

PREVIEW DATE

WEDNESDAY, OCTOBER 17TH
9AM TO 4PM LOCAL & MORNING OF SALE

AUCTION & PREVIEW LOCATION

35 MARTIN STREET
CUMBERLAND RI 02864

DIRECTIONS

FROM PROVIDENCE'S T.F.GREEN AIRPORT: EXIT AIRPORT TO I-95. I-95 NORTH 8.3 MILES TO EXIT 23, RTE. 146 NORTH. RTE 146 NORTH TOWARDS LINCOLN 7.7 MILES TO RTE 116. RTE 116 (GEORGE WASHINGTON HWY) EAST 1.9 MILES TO RTE 122 (MENDON RD). RTE 122 (MENDON RD) SOUTH .8 MILES TO MARTIN. RIGHT ON MARTIN .2 MILES TO PLANT ON RIGHT.

FURTHER INFORMATION

- AN 18% BUYER'S PREMIUM WILL BE CHARGED ON ALL BIDSPOTTER SALES. A 15% BUYER'S PREMIUM WILL BE CHARGED ON ALL ONSITE AND HILCAST WEBCAST SALES. AUCTION WILL BE CONDUCTED IN ENGLISH, ACCEPTING U.S. CURRENCY ONLY.
- REMOVAL DEADLINE IS NOVEMBER 9 WITH HOURS OF REMOVAL BETWEEN 8AM TO 4PM MONDAY THRU FRIDAY. BUYERS WITH ITEMS LEFT ON SITE AFTER DEADLINE ARE SUBJECT TO FINES OF $500 PER DAY.
- FOR FURTHER INFORMATION ON MACHINERY & EQUIPMENT, PLEASE CONTACT CRG CUSTOMER SERVICE AT 800-300-6852.
- FOR PAYMENTS PLEASE CONTACT ANNE PADEGIMAS AT 860-623-9060 OR EMAIL APADEGIMAS@CRGAUCTION.COM
- FOR CUSTOMER SERVICE, PLEASE CONTACT SANDI NEELY AT 248-254-9999 X16 OR EMAIL SNEELY@HILCOIND.COM

Information contained herein deemed to be accurate at time of printing and subject to change. For updated information, please visit our website at www.hilcoind.com for any date, sale process, terms and conditions and list of available assets.

(19) PLASTIC INJECTION MOLDING MACHINES

2 – NISSEI MODEL FN7000-100A, 398-TON INJECTION MOLDING MACHINES, S/N's S36U076 **(2000)**, S36R062 **(1998),** Hydraulic Clamp, Shot Size 43.0-Oz., Screw Size 80mm ("C"), Tie Bar Spacing 29" x 29", Platen Size 42" x 41-1/2", NC9300T Control, 24.3-kW Heater, 37-kW Motor

1 – NISSEI MODEL FS360S100ASE, 398-TON INJECTION MOLDING MACHINE, S/N S36P075 **(1996),** Hydraulic Clamp, Shot Size 43.0-Oz., Screw Size 80mm ("C"), Tie Bar Spacing 27-1/2" x 27-1/2", Platen Size 41" x 40", NC9000G Control, 24.3-kW Heater, 37-kW Motor

1 – NISSEI MODEL FN6000-100A, 309-TON INJECTION MOLDING MACHINE, S/N S28S161 **(1997),** Hydraulic Clamp, Shot Size 43.0-Oz., Screw Size 71mm ("C"), Tie Bar Spacing 26" x 26", Platen Size 38" x 37-1/2", NC9300T Control, 16.9-kW Heater, 37-kW Motor

1 – NISSEI MODEL FN6000-71A, 309-TON INJECTION MOLDING MACHINE, S/N S28S158 **(1998),** Hydraulic Clamp, Shot Size 29.8-Oz., Screw Size 71mm ("C"), Tie Bar Spacing 26" x 26", Platen Size 38" x 37-1/2", NC9300T Control, 16.9-kW Heater, 37-kW Motor

1 – NISSEI MODEL FS260S100ASE, 286-TON INJECTION MOLDING MACHINE, S/N S26N085 **(1996),** Hydraulic Clamp, Shot Size 43.0-Oz., Screw Size 80mm ("C"), Tie Bar Spacing 24" x 24", Platen Size 35-1/2" x 35-1/2", NC9000G Control, 24.1-kW Heater, 37-kW Motor

6 – NISSEI MODEL FS260S71ASE, 286-TON INJECTION MOLDING MACHINES, S/N's S26Q013, S26N087, S26P031, S26N079, S26P046, S26M050 **(As New as 1995),** Hydraulic Clamp, Shot Size 29.8-Oz., Screw Size 71mm ("C"), Tie Bar Spacing 24" x 24", Platen Size 35-1/2" x 35-1/2", NC9000G Control, 16.9-kW Heater, 37-kW Motor

2 – NISSEI MODEL FN4000-36A, 198-TON INJECTION MOLDING MACHINES, S/N's S18S354, S18S358 **(1998),** Hydraulic Clamp, Shot Size 9.6-Oz., Screw Size 45mm ("A"), Tie Bar Spacing 21" x 21", Platen Size 30-3/8" x 30-3/8", NC9300T Control, 12.6-kW Heater, 30-kW Motor

2 – NISSEI MODEL FS160S36ASE, 176-TON INJECTION MOLDING MACHINES, S/N's S16N135, S16N134 **(1994),** Hydraulic Clamp, Shot Size 14.8-Oz., Screw Size 56mm ("C"), Tie Bar Spacing 18" x 18", Platen Size 26-3/4" x 26-3/4", NC9000G Control, 12.3-kW Heater, 30-kW Motor

3 – NISSEI MODEL FS120S18ASE, 132-TON INJECTION MOLIDNG MACHINES, S/N's S12M034, S12M023, S12M024 **(1992),** Hydraulic Clamp, Shot Size 7.7-Oz., Screw Size 45mm ("C"), Tie Bar Spacing 16" x 16", Platen Size 23-1/2" x 23-1/2", NC8000F Control, 8.3-kW Heater, 18.5-kW Motor

QUANTITY OF INJECTION MOLD TOOLING, INCLUDING Molds, Frames, Inserts, (Specific Mold Product List Available Upon Request)

(21) ROBOTS

1 – YUSHIN MODEL AIRLINER ATCII-300SL, 3-AXIS ROBOT, S/N 3606329019 **(2009),** with AHC-ATC01 Pendant Control

1 – YUSHIN MODEL AIRLINER AT XII-300SLL, 3-AXIS ROBOT, S/N 30326505 **(2002),** with AT Series Pendant Control

3 – YUSHIN MODEL AIRLINER AN-250SL, 3-AXIS ROBOTS, S/N's 980815-02, 980815-01, NA **(1998),** with AN-3500 Control

2 – YUSHIN MODEL AIRLINER ANII-250SLL, 3-AXIS ROBOTS, S/N's 98081401 **(1998)** and 964147-02 **(1996),** with AN-3500 Control

1 – YUSHIN MODEL AIRLINER ANII-MC-250D, 3-AXIS ROBOT, S/N 982621-01 **(1998),** Dual Head, AN Series Pendant Control

1 – YUSHIN MODEL AIRLINER ANII-200DII, 3-AXIS ROBOT, S/N 954567-01 **(1995),** Single Head, AN-3500 Control

8 – YUSHIN MODEL AIRLINER AE-200SL, 3-AXIS ROBOTS, S/N's AE9400007P, AE9400006P, AE943570-02, AE9400054P, AE9400055P, AE9200232, AE9200543, AE9200371, **(As New as 1994),** YC-3000 Servo 3300 Controls

3 – YUSHIN MODEL AIRLINER AE-200D, 3-AXIS ROBOTS, S/N's AE9300086, AE9200549, 944932-01 **(As New as 1994),** Dual Head

1 – YUSHIN MODEL AIRLINER AE-200-S-II, 3-AXIS ROBOT, S/N AE9200397 **(1992)**

(9) MATERIAL DRYERS

1 – MATSUI MODEL MJ3-300 PORTABLE DRYER / HOPPER, S/N 1211A **(2010),** 9.0-kW/12.4-kW, 600-Lb. Capacity, with Vacuum Loader, Microprocessor Control

1 – MATSUI MODEL MJ3-300-U PORTABLE DRYER / HOPPER, S/N MJ3-0653A **(2007),** 9.0-kW/12.4-kW, 600-Lb. Capacity, with Vacuum Loader, Microprocessor Control

2 – DRI-AIR MODEL HDD-11 PORTABLE DRYER / HOPPERS, S/N's D16769, D12992 **(As New as 2006),** 600-Lb. Capacity, with Vacuum Loader, Microprocessor Control

2 – DRI-AIR MODEL HPD-7 PORTABLE DRYER / HOPPERS, S/N's D16767, D16766 **(2006),** 300-Lb. Capacity, with Vacuum Loader, Microprocessor Control

1 – UNA-DYN PORTABLE DRYER / HOPPER (1997), 300-Lb. Capacity, with Vacuum Loader, Automatic Mini-Dryer

2 – MATSUI MODEL DMZ-80 PORTABLE DRYER / HOPPERS, S/N's 02683, 02407 **(As New as 1996),** 110-Lb. Capacity, Microprocessor Control

MATERIAL BLENDERS / COLOR FEEDERS

2 – MOULD TEK MODEL GXB4-2P EXAC-U-BATCH GRAVIMETRIC BLENDERS, S/N's G1495E, G1494E **(2005),** (4) Bins Each With VLC-WITS-501 Vacuum Loader, TLRB-150 T-Link Vacuum Pump, Microprocessor Weigh Scale Batch Blender Control, Portable

3 – MOULD TEK MODEL GXB4-2202P EXAC-U-BATCH GRAVIMETRIC BLENDERS, S/N's G1217E, G1218E, G1150E **(2001),** (4) Bins Each With VLC-WITS-501 Vacuum Loader, MT-015RB Vacuum Pump, Microprocessor Weigh Scale Batch Blender Control, Portable

14 – PREMIER PNEUMATICS MODEL PRO-RATE 5129-1 COLOR ADDITIVE FEEDERS, S/N's PR-006-8-94, PR-001-12-95, PR-019-7-96, 014-12-95, 012-8-94, 043-6-94, 017-9-92, PR-046-6-94, N/A **(As New as 1996)**

VACUUM LOADING SYSTEM

2 – MOULD-TEK CENTRAL VACUUM SYSTEMS, Each with (1) VP-1000 Vacuum Power Unit, Gardner Denver / Sutorbilt Positive Displacement Blower, 10-HP, (1) PPF-240-60 Central Filter, Pneumatic Pulse-Jet Type

1 – MOULD-TEK MODEL CONVEY PACER III SERIES S 2-SYSTEM VACUUM SYSTEM CONTROLLER

20 – MOULD-TEK MODEL VLC-501S VACUUM RECEIVERS, With Model VLC-S Series S Integrated Controller

PROCESS COOLING WATER SYSTEM

1 – TRANE MODEL RAUCD104PQ1320DF003, 100-TON CHILLER, S/N C09B12412 **(2009),** Dual Circuit, Air Cooled, (4) Zones, (12) Condenser Fan Motors, Design Pressure 450 PSIG

1 – REYMSA MODEL HRFG-812115, 267-TON PROCESS WATER COOLING TOWER, S/N NA **(2009),** Fiberglass Construction, Induced Draft Counter-Flow, 800-GPM, 15-HP Motor; Roof Mounted

2 – LIQUI-CHILL PROCESS WATER HOLDING & RECIRCULATION TANKS, with Pumps

PORTABLE WATER CHILLERS

7 – TEMPTEK MODEL CF-5W PORTABLE WATER CHILLERS, S/N's 95670, 95061, 94215, 9973190, 47128 / 7-9-7068, 12-9-70332-274003, 3-7-6548 **(As New as 2005)**

2 – TUC MODEL CS-5WC PORTABLE WATER CHILLERS, S/N's 140301, 140302

(34) TEMPERATURE CONTROLLERS

2 – WHITTMAN MODEL TEMPRO BASIC 200 TEMPERATURE CONTROLLERS, S/N's 094039 & 110293 **(2007)**

5 – STERLCO MODEL M2B9412-CX TEMPERATURE CONTROLLERS, S/Ns 00A5452, 00A5453, 00A5454, 99K5569, 99K5570 **(As New as 2000)**

1 – STERLCO MODEL S9412-AC TEMPERATURE CONTROLLER, S/N 97A5587 **(1997)**

6 – STERLCO MODEL M9412-AX and M9410-AX TEMPERATURE CONTROLLERS, S/N 73125, 75021, 75022, 73952, 73953, 73109

9 – STERLCO MODEL M8410-AX and M8412-A TEMPERATURE CONTROLLERS, S/N's 62474, 62473, 65142, 64270, 66725, 65027, 64468, 65074, 65910

11 – STERLCO MODEL S8410-A and S8412-A PORTABLE TEMPERATURE CONTROLLERS, S/N's 55218, 55217, 57548, 57547, 57506, 52080, 53453, 52079, 58271, 52078, 58265

(30+) HOT RUNNER TEMPERATURE ZONE CONTROLLERS

2 – MOLD MASTER MODEL CONTROLLER 2 MZ SERIES TEMP-MASTER PROGRAMMABLE HOT RUNNERS, S/N's TMMZ07061413 & TMMZ07031384 **(2007),** 48-Zone

1 – MOLD MASTER MODEL TMMZ.00.020LTS MZ-LT SERIES TEMP-MASTER PROGRAMMABLE HOT RUNNER, S/N TMMZ11083253 **(2011)**

1 – HUSKY MODEL X-F-24-DLT-24 DELTA-Z SERIES PROGRAMMABLE HOT RUNNER TEMPERATURE ZONE CONTROLLER, S/N 577993 **(2010)**

27 – ASSORTED 12-ZONE HOT RUNNERS, with Yokogowa Digital Controllers

QUANTITY OF ASSORTED SINGLE ZONE HOT RUNNER ZONE CONTROLLERS

(12) REGRINDERS / GRANULATORS

2 – GETECHA MODEL GRS-300 GRANULATORS, (2006), 7.5-HP, 16" x 14" Opening

5 – AMACO POLYMER MODEL AG 10x10 REGRINDERS, S/N's 1272581, 1272281, 1272481, 1272181, 1272681, 5-HP

2 – GRANUTEC MODEL 810HD 7.5.8 REGRINDERS, S/N's 1092.1919, 392.1725

3 – GRANUTEC MODEL 810AM.5.6 REGRINDERS, S/N's 289-1035, 289-1033, 189-1036







SECONDARY SUPPORT, PRINTING, ASSEMBLY & PACKING EQUIPMENT

****NOTE: Feeding & Handling Equipment Including Bowl Feeders, Hopper Feeders, & Conveyors May Be Offered Separately***

2 – TECH INDUSTRIES CAP LAYER PACKER MACHINES, with 8-Station Rotary Index Tables, PLC

1 – TECH INDUSTRIES DOUBLE LANE 4-HEAD HOT STAMP ASSEMBLY MACHINE, Double-Sided 8-Station Index Table, (4) Digital Heat Controllers, PLC, (6) Hopper Feeders, (6) Vibratory Bowl Feeders

1 – FRANKLIN HOT STAMP BANDING MACHINE, 60-100mm, 12-Station Index Table, Wheel Type, Single Head, with Uncoiler & Feed, Hopper & Bowl Feeders

1 – TECH INDUSTRIES TWIN-HEAD HOT STAMP MACHINE, 12-Station Index Table, with Digital Heat Controller, PLC, Hopper & Bowl Feeders

1 – KF SYSTEMS SINGLE DISC ROTARY THERMAL LABELER, with Franklin Roll Leaf Stamping Press, 8-Station Index Table, PLC, Digital Heat Controllers, Accumulator Conveyor, Bowl Feed

1 – SCREEN TECH T.A.G. CAP FOIL APPLICATION MACHINE, Single Head Heat Transfer, 8-Station Index Table, PLC, Bowl Feed

1 – SCREEN TECH MODEL DUAL-DIAL DUAL HEAD FLAT DIE ROTARY HOT STAMP T.A.G. MACHINE, S/N 067 **(1996),** (2) 8-Station Index Tables, PLC

1 – TZ-AUTO MODEL RT-50 AUTOMATIC SCREEN & HEAT TRANSFER MACHINE, S/N 11500 **(2006),** Single Head, Wheel Type Die, PLC

1 – TZ-AUTO MODEL 700 SP-R AUTOMATIC SILK SCREEN & HOT STAMP MACHINE, S/N 810051811316 **(2010),** PLC, Regulated Infeed Tracks, Bowl Feeder, Accumulator Conveyor

1 – US DUAL HEAD HOT STAMP BANDING MACHINE, 12-Station Index Table, (2) Hot Stamp Heads, PLC, Digital Heat Controllers, Hopper & Bowl Feeders

SECONDARY SUPPORT, PRINTING, ASSEMBLY & PACKING EQUIPMENT, CONT.

NOTE: Feeding & Handling Equipment Including Bowl Feeders, Hopper Feeders, & Conveyors May Be Offered Separately

2 – TZ-AUTO MODEL SCREEN TECH SILK SCREENER, 12-Station Index Table, Fusion UV Light Source, PLC, Accumulator Conveyor, Bowl Feed, Infeed Conveyor

1 – TZ-AUTO AUTOMATIC ASSEMBLY MACHINE, S/N 809081511101 **(2009),** 8-Station Index Table, PLC

1 – TZ-AUTO AUTOMATIC UV SPRAY COATING MACHINE, S/N 809081511100 **(2009),** 24-Station Index Table, 4-Zones, PLC

1 – DEPENDABLE MACHINE 12-STATION SILK SCREEN MACHINE, S/N NA, with UV Box, Flame Burner, Vacuum System

1 – FRANKLIN MODEL 140 HOT STAMPER / BANDER, S/N 21081/88, Hopper & Bowl Feeders, Conveyor

1 – SCREEN TECH TOP SCREEN PRINTING MACHINE, 33-48mm

1 – SCREEN TECH 2-HEAD HOT STAMP MACHINE, 16-Station Index Table, PLC

1 – TZ-AUTO AUTOMATIC ASSEMBLY MACHINE, S/N 809081511099 **(2009)**

4 – TOPRINTT MODEL TM-200QPY UV-TECH THRU-FEED UV CURE OVENS, S/N's TT9016 & TT9015 (2005) / TCC9542 & TCC9541 **(2004)**

5 – TOPRINTT MODEL TH150M SEMI-AUTOMATIC HEAT TRANSFER MACHINES, S/N's TT4069, TT4067, TT9130, TT4102, NA **(2005)**

2 – TOPRINTT MODEL TH195M HOT STAMP MACHINES, S/N's TCC3243 & TCC3245 **(2005)**

2 – TOPRINTT MODEL TS250S SCREEN PRINTING MACHINES, S/N's TT7011 & TT7013 **(2005)**

1 – DEPENDABLE MACHINE SEMI-AUTOMATIC SILK SCREEN

5 – ITW DYNATEC MODEL DYNAMELT HOT MELT APPLICATORS, S/N's 12423101670-B, 07597101670, 8111-98, 05333101670A, 7619102621-E

QUANTITY OF PARTS CONVEYORS & PARTS FEEDING EQUIPMENT, INCLUDING Hinged Plastic Belt, Fabric Belt, Accumulator, Cooling, Feed & Transfer Conveyors, Hopper Feeders, Vibratory Bowl Feeders, Hopper Elevators, Regulating Feed Tracks, etc.

Partial Listing Only, Please See Our Website

www.hilcoind.com

For Full Listing and Lot Catalog



TOOLROOM / MAINTENANCE SHOP EQUIPMENT

1 – SHARP MODEL OD1424, 14" X 24" ID/OD GRINDER, S/N G30002, Plunge Feed, Spindle Speeds 20-920 RPM, ID Grinding Spindle 5000 – 40000 RPM, Tailstock, Mitsubishi Melsec F2-30GM-DU Control, Coolant

2 – SHARP 3-HP VERTICAL MILLING MACHINES, S/N's 60924177 & 61124354, 60-4500 RPM, 9" x 42" Table, DRO's, Power Feeds

1 – SHARP MODEL SG614, 6" x 14" SURFACE GRINDER, S/N 86C1319, Magnetic Chuck, Fagor 2-Axis DRO

1 – LEBLOND 15" x 36" ENGINE LATHE, S/N 6C756, 45-1800 RPM, Threading, 1-3/8" Spindle Hole

1 – CAROLINA MODEL CBP-1200, 50-TON H-FRAME HYDRAULIC SHOP PRESS, S/N 08444

1 – KUHLMANN MODEL SU2 SINGLE LIP TOOL & CUTTER GRINDER, S/N SU2-36.1-058

1 – TRINCO DRY BLAST CABINET, 24" x 18" Chamber, with Dust Collector

1 – DOALL MODEL V-36, 36" VERTICAL BANDSAW, S/N 36463783, Power Feed, Blade Weld/Grind

1 – KALAMAZOO MODEL H9A-WC HORIZONTAL BANDSAW, S/N 905, Power Feed

1 – MILWAUKEE MODEL 6480 PANEL SAW, S/N 797A401200001, with 8" Saw

1 – WEATHERHEAD MODEL COLL-O-CRIMP SUPER I HYDRAULIC HOSE FITTING CRIMPING PRESS

QUANTITY OF TOOLROOM & MAINTENANCE SHOP EQUIPMENT, INCLUDING Miller Welders, Machine Accessories, (2) Kurt 6" Machine Vises, Harig Grind-All Fixtures, Whirly-Gigs, R-8 Taper Tooling, 5-C Collets, Precise ID Grinding Spindle, Set-Up & Clamping Tooling, Aloris-Type Quick Change Toolpost & Holders, Lathe Tooling, Perishable Tool Cutters, Drill Indexes, Reamer Sets, Misc. Tools, Step Ladders, Shop Vac's, Workbenches, Hardness Testers, etc.

ELECTRICAL DISTRIBUTION

1 – SQUARE D MODEL QED-S TYPE 1 POWER STYLE SWITCHBOARD, S/N 27505359-001 **(2009),** 3000 Amp, 480Y/277V Volts, 60-Hz, 3-Phase, 4-Wire, With CAT No. WL3HHG44A9SXFXXXX Master Pact NW 30H 3000 Amp Circuit Breaker, (1) Power Pact JL-250, (1) Power Pact PL-1000, (1) Power Pact RL-1200, (1) I-Limit LI-600A Circuit Breakers

1 – SQUARE D MODEL 75T96H SORGEL® THREE PHASE GENERAL PURPOSE TRANSFORMER, 75-KVA, HV 480, HV Amps 90, LV 380Y/219, LV Amps 114, Style No. 34349-34112-005

17 – SQUARE D MODEL EE30T3H SORGEL® THREE PHASE GENERAL PURPOSE TRANSFORMERS, 30-KVA, HV 480, HV Amps 36, LV 208Y/120, LV Amps 83.2, Style No. 33349-17212-089, 60 Hz

18 – SQUARE D DISCONNECT SWITCH STATIONS

1 – MGM TRANSFORMER CO. DRY-TYPE TRANSFORMER, S/N 9803-112D-063-2, 112.5-KVA, CAT No. HT11ZA3K2SH, 480-240/120 CT Volts, 3-Phase, 60-Hz

QUANTITY OF ASSOCIATED ELECTRICAL DISTRIBUTION COMPONENTS, INCLUDING Overhead Raceway, Wire, Etc.

CRANES / HOISTS

1 – 3-TON TRAVELING OVERHEAD HOIST SYSTEM, Saturn Engineering Bottom Riding Low Profile Design 3-Ton Electric Cable Hoist, Top Riding Bridge Set-Up, 6-Way Power Pendant Control, Estimated 16' Span, Estimated 12' Lifting Height, Free Standing Support / Runway Structure, Estimated 240' Length, (16) Upright Sections On 16' Centers With Top Cross-Over Braces (See Pictures Below and on Page 2)

1 – DAYTON 3-TON PORTABLE A-FRAME GANTRY CRANE, Estimated 9' to 14' Under Rail, 14' Between Legs, with Coffing 2-Ton Electric Chain Hoist

1 – SPANCO 1-TON PORTABLE A-FRAME GANTRY CRANE, 10' Under Rail, 10' Between Legs, 1-Ton Chain Fall

AIR HANDLING EQUIPMENT

2 – SULLAIR MODEL TS20-125L ACAC, 125-HP ROTARY SCREW AIR COMPRESSORS, S/N's 003-105305, 003-105306 **(1992),** Air Cooled, 110-PSIG

1 – SULLAIR MODEL SRL-1600 REFRIGERATED COMPRESSED AIR DRYER, S/N 3857990001

1 – SULLAIR MODEL PCR 3000N 2-STAGE IN-LINE COMPRESSED AIR FILTER, S/N 003-F6858

1 – ZEKS MODEL HEAT SINK 2400 HSFA 400 REFRIGERATED COMPRESSED AIR DRYER, S/N 262167, 200-PSIG

1 – VERTICAL AIR RECEIVER TANK, 137-PSI, Estimated 42" Diameter x 10' Height

1 – INGERSOLL RAND MODEL 30, 15-HP TANK MOUNTED AIR COMPRESSOR, S/N 30T-395076

1 – CHAMPION MODEL HPL5-12, 5-HP TANK MOUNTED AIR COMPRESSOR, S/N PL15-2057

1 – DONALDSON TORIT MODEL VS 1500 DUST COLLECTOR, S/N 261-5507-002 **(1994)**

9 – JDS MODEL AIR TECH 2000 and 2400 AIR FILTER UNITS, Ceiling Suspended

QUALITY CONTROL

1 – DATACOLOR MODEL SPECTRAFLASH SF600 PLUS-CT COLOR TESTER, S/N 6854

1 – STARRETT MODEL HB 400, 15" BENCH TOP OPTICAL COMPARATOR, S/N 50144, Quadra-Chek 2000

2 – MACBETH MODEL JUDGE II COLOR TEST LIGHT BOOTHS, S/N 61023500597, NA

1 – CHATILLON MODEL TCM200 UNIVERSAL TEST STAND

1 – BLUE M MODEL FRICTION-AIRE HS-1202EFG ELECTRIC OVEN, S/N H4-876, 150°C / 302°F, ID 24"W x 20"H x 20"D

1 – BLUE M MODEL HUMID FLOW AC-7502TDA-3 HEAT / HUMIDITY CHAMBER, S/N AC-291, to 93°C, with Watlow Digital Controllers, ID 18"W x 18"H x 12"D, Chart Recorder

1 – PRECISION SCIENTIFIC MODEL 18 ELECTRIC OVEN, S/N NA, to 200°C, ID 18"W x 18"H x 12"D

1 – MEMERT ELECTRIC OVEN, to 200°C, ID 16"W x 16"H x 12"D

1 – MARCONI MODEL MA/033-3 ELECTRIC OVEN, S/N 9912670, 1000-Watt, ID 18"W x 18"H x 15"D

1 – FORMA SCIENTIFIC MODEL 6512 ELECTRIC VACUUM OVEN, S/N 60374-79, ID 12"W x 12"H x 18"D

1 – SHIPPING CONTAINER VIBRATION TESTER, 41" x 15" Shaker Table, Vari-Speed Drive

1 – DELTA MODEL SHOPMASTER BS100, 9" BENCH TOP VERTICAL BANDSAW, S/N 127822W4041

QUANTITY OF QUALITY LAB ACCESSORIES, INCLUDING (40+) Electronic Bench Scales, Hot Melt Tester, Ultra Test Tensile Tester, Tumbler Finisher, Micro Vu Video Measuring Scope, Microscopes, Force Gauges, Pin Gauges, Imperial V Lab Oven, Dial & Digital Indicators, Indicator Stands, Surface Plates, Scales. (3) Hardwood Top Lab Room Benches, Misc.

MISCELLANEOUS PLANT & PRODUCTION SUPPORT

QUANTITY OF (20+) Tool Chests, Assorted Hand & Power Tools, Pallet Wrapper, Platform Scale, Double-End Drum Tumblers, (55+) Sections of Pallet Racking up to 15' H x 42" D x 96"or 138" or 144" W, Gravity Flow Racking, Electrical Components, Mechanical & Hydraulic Spares, Machine Repair Parts, Fasteners, Hardware, Switches, Relays, Wire, Machine Screws, Service Parts, Adjustable Metal Shelving, etc.

OFFICES

OFFICE EQUIPMENT & FURNITURE, INCLUDING Computer Equipment, Printers, Office Machines, Furniture, Office Settings, Cubicles, General Furniture, etc.

Hilco Industrial, LLC

Auctioneers • Liquidators • Appraisers

Headquarters
31555 W. Fourteen Mile Road, Suite 207
Farmington Hills, MI 48334
Ph: 877-37-HILCO (44526)
Fx: 248.254.9995
www.hilcoind.com

Presorted
First Class Mail
U.S. Postage
PAID
Detroit, Mich.
Permit No. 2655

Forwarding Service Requested

HILCAST WEBCAST AUCTIONS

WEBCAST/ONSITE AUCTION

BidSpotter.com

Due to complete plant closure, former assets of

PORTOLA

Complete Closure of Cosmetic Packaging Facility

Featuring Injection Molders and Support Equipment

Thursday, October 18th • Beginning at 10am Local Time
Cumberland, RI

Terms of Sale

An 18% buyer's premium will be charged on all Bidspotter sales. A 15% buyer's premium will be charged on all onsite and Hilcast Webcast sales. Everything will be sold to the highest bidder for cash, in accordance with the Auctioneer's customary "Terms of Sale", copies of which will be posted on the premises of the sale and subject to additional terms announced the day of sale. All items will be sold "as is, where-is" without any warranties, expressed or implied. Although obtained from sources deemed reliable, the Auctioneer makes no warranty or guarantee to the accuracy of the information herein contained. Bidders are encouraged to thoroughly inspect the items on which they intend to bid prior to sale. Absolutely no items will be removed until the day after the conclusion of the sale and payment is made in full. Subject to additions, deletions and prior sale. For updated information, please visit our website at www.hilcoind.com for any date, sale process, terms and conditions and list of available assets.

Payment: ALL PURCHASES MUST BE PAID IN FULL ON THE DAY OF THE AUCTION. If you intend to pay by wire transfer, we will accept payment the day after the sale ONLY IF a deposit of 25% of total purchases is made on the day of the sale. Contact our office for wire transfer instructions. Only cash, wire transfer or certified check, payable to Capital Recovery Group, LLC will be accepted. Company checks payable to Capital Recovery Group, LLC will be accepted only if accompanied by a bank letter of guarantee, (see sample letter below). All sales are subject to sales tax. Purchasers claiming exemptions from taxes must provide proof satisfactory to the Auctioneer of their entitlement to claim such exemptions.

Sample Bank Letter

(Bank Name) unconditionally guarantees payment to Capital Recovery Group, LLC from (Company Name). This guarantee will be valid for purchases made at the Auction of Portola Tech International on October 18, 2012.

HilcoHelps | Follow Us on: facebook twitter

HILCO Industrial, LLC is a division of Hilco Trading, LLC • Headquarters 5 Revere Drive, Ste. 206 • Northbrook, IL 60062 • All rights reserved
Printed in USA • POR0196 • Rhode Island Auctioneer & License: William Firestone, License #2361 • IL License #444.000215
Please visit our website at www.hilcoind.com to review our complete terms and conditions.